

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,538	10/31/2003		Roy Shaffer	25247C	2694
22889	7590	03/22/2006	,	EXAM	INER
OWENS C	ORNING	i	BRINSON, PATRICK F		
2790 COLUMBUS ROAD				ART UNIT	PAPER NUMBER
GRANVILLE, OH 43023				3754	PAPER NUMBER

DATE MAILED: 03/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/699,538	SHAFFER ET AL.					
Office Action Summary	Examiner	Art Unit					
	Patrick F. Brinson	3754					
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wit	th the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions are provided by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a re od will apply and will expire SIX (6) MONI tute, cause the application to become AB	CATION. Sply be timely filed IHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on	·						
,	,—						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	r Ex parte Quayle, 1935 C.D.	. 11, 453 O.G. 213.					
Disposition of Claims							
4) ⊠ Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdress 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) ⊠ Claim(s) 1-14 is/are objected to. 8) □ Claim(s) are subject to restriction and	rawn from consideration.						
Application Papers							
9) The specification is objected to by the Exami 10) The drawing(s) filed on is/are: a) and an applicant may not request that any objection to the Replacement drawing sheet(s) including the correction. The oath or declaration is objected to by the	ccepted or b) objected to be drawing(s) be held in abeyand ection is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a limit	ents have been received. ents have been received in Apriority documents have been eau (PCT Rule 17.2(a)).	oplication No received in this National Stage					
Attachment(s)	∆\	umman/PTO 413\					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 11/16/04. 	Paper No(s	ummary (PTO-413))/Mail Date Iformal Patent Application (PTO-152) 					

Application/Control Number: 10/699,538 Page 2

Art Unit: 3754

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter recited in claims 3 and 8 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Claim 3 recites "zippered joints", however, this type of joint is not shown in the figures. Similarly, claim 8 recites the inner wicking layer extending through the air duct in intervals of about four feet, again, without illustration in the figures.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement

Application/Control Number: 10/699,538 Page 3

Art Unit: 3754

Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

2. The disclosure is objected to because of the following informalities: Claim 8 recites the inner wicking layer extending through the air duct in intervals of about four feet, however there is no support in the specification for this feature.

Appropriate correction is required.

Claim Objections

3. Claims 1 and 10 are objected to because of the following informalities: Claim 1 recites "a taper layer", which should probably be changed to "tape" layer and recites "the seam" without proper antecedent basis. In claim 10, "herein" should be changed to "wherein". There should be a period (.) at the end of claim 11. Appropriate correction is required.

Allowable Subject Matter

4. Claims 1-14 are allowed over the prior art of record, however, the minor objections described in the preceding paragraph are to be corrected.

Application/Control Number: 10/699,538 Page 4

Art Unit: 3754

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents to Korsgaard '322 and '863, Crim, Jr. Kissell are pertinent to Applicant's invention in disclosing duct insulation including wicking material.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Patrick F. Brinson** whose telephone number is (571) 272-4897. The examiner can normally be reached on M-F 7:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Michael Y. Mar** can be reached on (571) 272-4906. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 5

Patrick F. Brinson Primary Examiner Art Unit 3754

P. F. Brinson March 17, 2006